


# RightWave® EDF R37103e Optical Fiber

P/N: 27325



### **Overview**

The RightWave EDF portfolio has a broad EDF product line with each fiber type optimized for different applications.

RightWave EDF R37103e is a L-Band fiber designed specifically for L-band amplifiers operating in the 1565-1610 nm range. The fiber has high efficiency and low noise figure with excellent spectral uniformity, supported by precision characterization in DWDM amplifiers and incorporating the latest improvements in splice performance.

## **Typical Applications**

DWDM and CATV Systems
Operating in the L-Band
Pump Applications at
980 nm or 1480 nm



## RightWave® EDF R37103e Optical Fiber

P/N: 27325

Product Specifications	
Product Description	RightWave EDF R37103e Optical Fiber
Physical Characteristics	
Cladding Diameter	125 μm
Coating Diameter	245 μm
Cladding Non-Circularity	< 1%
Core Eccentricity	≤ 0.3 µm
Coating Non-Circularity	< 2.5%
Coating/Cladding Concentricity Error	< 16 µm
Optical Characteristics	
Туре	Erbium-Doped Fibers for L-Band
Cutoff Wavelength	940 nm
Peak Absorption @ 1530 nm	18.0 ± 2.0 dB/m
Mode Field Diameter @ 1550 nm	5.3 ± 0.7 μm
PMD (Typical)	2 fs/m
Loss @ 1200 nm	< 10 dB/km
Numerical Aperture	$0.25 \pm 0.02$
PM or SM	SM
Mechanical and Environmental	
Proof Test Level	200 kpsi (1.38 GPa)
Order by Part Number	27325

**OPTIONS:** Coils or Spools, Color-Coded Buffers, Custom Designs, Fibers Available in Long Lengths on Standard Spools, Fibers Available in Predetermined Lengths and Coiled to Given Diameters, Fibers Available with Natural or Colored Buffer, Fibers May be Customized to Suit Your Specific Application

**NOTE:** Compatible with OASiX® Software Package: Accurate prediction of EDF performance is essential to applications design. OFS offers specialized OASiX Amplifier Simulation System Software, which allows the designer to predict EDFA performance at all pump powers for the specific lot of EDF purchased. OASiX is also available in a DLL version for compatibility with external optimization tools.

#### For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.





Copyright © 2023 OFS Fitel, LLC. All rights reserved, printed in USA.

OFS Marketing Communications Date: 02/23

