




A Furukawa Company

GiHCS® 62.5/200/230 μm 4-Fiber Breakout Fiber Optic Cable

P/N: C26139



4-Fiber Heavy-Duty Breakout

Overview

The GiHCS® optical cable family takes advantage of the high strength characteristics of HCS® fluoroacrylate coating technology while improving bandwidth through Graded-Index optical fiber design. Most similar to OM-1 level fiber optic cables, GiHCS cables with 62.5/200/230 GiHCS optical fibers cables support Fast and Gigabit Ethernet, provide LSZH and OFNR Riser fire safety ratings, and include both indoor and indoor/outdoor cable designs. These industrialized cables are crimp & cleave compatible for quick, easy field connectorization in harsh environments.

Typical Applications

Nuclear Power Plants
Offshore Marine Platforms
Shipboard Systems
Wind Turbines



A Furukawa Company

GiHCS® 62.5/200/230 µm 4-Fiber Breakout Fiber Optic Cable

P/N: C26139

Product Specifications	
Product Description	4-Fiber Waterblocked LSZH 62.5/200/230/500 Breakout
Physical Characteristics	
Fiber Core Diameter	62.5 µm
Fiber Geometry	62.5/200/230/500 µm
Construction	4-Fiber Waterblocked
Specialty Testing (Cyclic Flexing)	> 500 Cycles
Outer Cable Diameter	8.0 ± 0.4 mm
Cable Weight	< 70 kg/km
Outer Jacket Material	LSZH
Outer Jacket Color	Black
Optical Characteristics	
Type	Multimode Graded-Index
Attenuation @ 1300 nm	≤ 3.0 dB/km
Attenuation @ 850 nm	≤ 5.0 dB/km
Fiber Specifications	F14404, 62.5 µm GiHCS® Optical Fibers
Mechanical and Environmental	
Installation Load (Max)	530 lb. (2358 N)
Operating Load (Maximum)	265 lb. (1179 N)
Minimum Bend Installation	120 mm
Minimum Bend Operating	80 mm
Operating Temperature	-20 to +80 °C
Storage Temperature	-40 to +80 °C
Intended Location	Indoor/Outdoor
Order by Part Number	C26139
Product Description Code	HCU-MF062T-V04ZBHD
OPTIONS: Also available in breakout construction with up to 18 sub-units, jacket color, outer jacket material, print legend, terminated assemblies	

For additional information please contact your sales representative.

You can also visit our website at www.ofsoptics.com or call 1-888-fiberhelp (1-888-342-3743) USA or 1-770-798-5555 outside the USA.



Copyright © 2019 OFS Fitel, LLC.
All rights reserved, printed in USA.

OFS Marketing Communications
Date: 11/19



GiHCS and HCS are registered trademarks of OFS Fitel, LLC. OFS reserves the right to make changes to the prices and product(s) described in this document at any time without notice. This document is for informational purposes only and is not intended to modify or supplement any OFS warranties or specifications relating to any of its products or services.